

Receipt date: 12/24/2008

Approved for use through 12/31/2007. OMB 0651-0031
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Sheet 1

of

9

Complete if Known

Application Number	10/726,772
Filing Date	December 3, 2003
First Named Inventor	Nolte
Art Unit	1797
Examiner Name	Ramillano
Attorney Docket Number	12258-0021

U. S. PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Document Number	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
		Number-Kind Code ² (if known)			
		US RE 33,581	04/30/1991	Nicoli et al.	
		US 3,796,495	03/12/1974	Laub	
		US 4,899,195	02/06/1990	Gotoh	
		US 5,497,007	03/05/1996	Uritsky et al.	
		US 5,581,345	12/03/1996	Oki et al.	
		US 5,602,377	02/11/1997	Beller et al.	
		US 5,621,532	04/15/1997	Ooki et al.	
		US 5,629,044	05/13/1997	Rubenchik	
		US 5,700,046	12/23/1997	Van Doren et al.	
		US 5,999,262	12/07/1999	Dobschal et al.	
		US 6,312,901	11/06/2001	Virtanen	
		US 6,483,588	11/19/2002	Graefe et al.	
		US 6,591,196	07/08/2003	Yakhini et al.	
		US 6,656,428	12/02/2003	Clark et al.	
		US 6,734,000	05/11/2004	Bhatia	
		US 2002/0058242	05/16/2002	Demers	
		US 2002/0097658	07/25/2002	Worthington et al.	

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ³
		Country Code ⁴ Number ⁴ Kind Code ⁵ (if known)				
		WO 0144441	06/21/2001	Biostar, Inc.		
		WO 0111310	02/15/2001	Biostar, Inc.		
		WO 9214136	08/20/1992	Biostar Medical Products		
		WO 9403774	02/17/1994	Biostar, Inc.		
		WO 0000265	01/06/2000	Biostar, Inc.		
		WO 0039584	07/06/2000	Biostar, Inc.		

Examiner Signature	/Lore Ramillano/	Date Considered	01/30/2009
--------------------	------------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /L.R./

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet	2
-------	---

of

9

9

Complete if Known

Application Number	10/726.772
--------------------	------------

Filing Date	December 3, 2003
-------------	------------------

First Named Inventor	Nolte
----------------------	-------

Art Unit	1797
----------	------

Art Cmt	1191
Examiner Name	Ramillano

Attorney Docket Number	12258-0021
------------------------	------------

U. S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No.	Foreign Patent Document		Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	1
		Country Code*	Number* Kind Code* (if known)				
		EP	1424549	06/02/2004	Mitsubishi		

Examiner Signature	/Lore Hamillano/	Date Considered	01/30/2009
-----------------------	------------------	--------------------	------------

*EXAMINER. Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kind Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.114. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /L.R./

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Complete if Known

Application Number	10/726,772
Filing Date	December 3, 2003
First Named Inventor	Nolte
Art Unit	1797
Examiner Name	Ramillano
Attorney Docket Number	12258-0021

Sheet 3

of

9

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		NAGARAJAN, R., Intensity-based segmentation of microarrays images. IEEE Trans. Med. Imaging. v22. 882-889 (2003).	
		FARAMARZPOUR, N., SHIRANI, S. AND BONDY, J., Lossless DNA microarray image compression. IEEE Conf. Signal Systems Comput. v2. 1501-1504 (2003).	
		KATZER, M., KUMMERT, F. AND SAGERER, G., Methods for automatic microarray image segmentation. IEEE Trans. NanoBiosci. v2 i4. 202-214 (2003).	
		N. BRÄNDLE, H. BISCHOF, H. LAPP: "Robust DNA Microarray Image Analysis"; Machine Vision and Applications, 15 (2003), 1; 11 - 28.	
		NAGARAJAN, R AND PETERSON, C.A. [2002] Identifying Spots in Microarray Images IEEE Trans. Nanobioscience, 1(2), 78-84.	
		FABRI, R: "Towards non-parametric gridding of Microarray images," <u>Digital Signal Processing, 2002. DSP 2002. 2002 14th International Conference publication</u> , Volume: 2, Page(s): 623- 626.	
		CHIAO-LING SHIH, HUNG-WEN CHIU, "Automatic spot detection of cDNA Microarray images using mathematical morphology methods," Conference on IEEE EMBS Asian-Pacific, Oct. 2003, pp. 70-71.	
		MACBEATH, G. AND S.L. SCHREIBER. 2000. "Printing proteins as microarrays for high-throughput function determination." Science 289:1760-1763.	
		GUÉMOURI, L., J. OGIER, AND J. J. RAMSDEN, "Optical properties of protein monolayers during assembly." Journal of Chemical Physics 1998. 109:3265-3268.	
		OSTROFF, R., A. ETTINGER, H. LA, M. RIHANEK, L. ZALMAN, J. MEADOR III, A. K. PATICK, S. WORLAND, AND B. POLISKY. 2001. "Rapid microserotype detection of human rhinoviruses on optically coated silicon surfaces." J. Clin. Virol. 21: 105-117.	
		JENISON, R., YANG, S., HAEBERLI, A., AND POLISKY, B., "Interference-Based Detection Of Nucleic Acid Targets On Optically Coated Silicon," Nature Biotechnology 19:62-65 (2001).	
		N. B. SELLER, S. PETRASH, M.D. FOSTER, "Atomic Force Microscopy and X-ray Reflectivity Studies of Albumin Adsorbed onto Self-Assembled Monolayers of Hexadecyltrichlorosilane," <i>Langmuir</i> , 14, 4535-4544, 1998.	
		M. VARMA, D. D. NOLTE, H. D. INEROWICZ, AND F. E. REGNIER, "Multi-Analyte Array Micro-Diffraction Interferometry," in <i>Microarrays: Design, Fabrication and Reading</i> , vol. 4626, B. J. B. e. al., Ed.: SPIE, 2002, pp. 69-77.	
		D. D. NOLTE AND M. R. MELLOCH, "Photorefractive Quantum Wells and Thin Films," in <i>Photorefractive Effects and Materials</i> , D. D. Nolte, Ed. Dordrecht: Kluwer Academic Publishers, pp. 373-451, 1995.	

Examiner Signature	/Lore Ramillano/	Date Considered	01/30/2009
--------------------	------------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 35 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 35 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /L.R./

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Complete if Known

Application Number	10/726,772
Filing Date	December 3, 2003
First Named Inventor	Nolte
Art Unit	1797
Examiner Name	Ramillano
Attorney Docket Number	12258-0021

Sheet 4

of 9

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		D. S. GERBER, R. DROOPAD, AND G. N. MARACAS, "A GaAs/AlGaAs Asymmetric Fabry-Perot Reflection Modulator with very High Contrast Ratio," <i>IEEE Phot. Tech. Lett.</i> , vol. 5, pp. 55-58, 1993.	
		M. WHITEHEAD AND G. PARRY, "High-contrast reflection modulation at normal incidence in asymmetric multiple quantum well Fabry-Perot structure," <i>Electron. Lett.</i> , vol. 25, pp. 566-568, 1989.	
		B. J. LUFF, J. S. WILKINSON, J. PIEHLER, U. HOLLENBACH, J. INGENHOFF, AND N. FABRICIUS, "Integrated optical Mach-Zehnder biosensor," <i>Journal of Lightwave Technology</i> , vol. 16, pp. 583-592, 1998.	
		B. DRAPP, J. PIEHLER, A. BRECHT, G. GAUGLITZ, B. J. LUFF, J. S. WILKINSON, AND J. INGENHOFF, "Integrated optical Mach-Zehnder interferometers as simazine immunoprobes," <i>Sensors and Actuators B-Chemical</i> , vol. 39, pp. 277-282, 1997.	
		L. U. KEMPE AND R. E. KUNZ, "Replicated Mach-Zehnder interferometers with focusing grating couplers for sensing applications," <i>Sensors and Actuators B-Chemical</i> , vol. 39, pp. 295-299, 1997.	
		V. S.-Y. LIN, K. MOTESHAREI, K.-P. S. DANCIL, M. SAILOR, AND M. R. GHADIRI, "A porous silicon-based optical interferometric biosensor," <i>Science</i> , vol. 278, pp. 840-843, 1997.	
		Y. C. CAO, R. JIN, AND C. A. MIRKIN, "Nanoparticles with Raman Spectroscopic Fingerprints for DNA and RNA Detection," <i>Science</i> , vol. 297, pp. 1536-1540, 2002.	
		T. A. TATON, C. A. MIRKIN, AND R. L. LETSINGER, "Scanometric DNA Array Detection with Nanoparticle Probes," <i>Science</i> , vol. 289, pp. 1757-1760, 2000.	
		C. GURTNER, E. TU, N. JAMSHIDI, R. W. HAIGIS, T. J. ONOFREY, C. F. EDMAN, R. SOSNOWSKI, B. WALLACE, AND M. J. HELLER, "Microelectronic array devices and techniques for electric field enhanced DNA hybridization in low-conductance buffers," <i>Electrophoresis</i> , vol. 23, pp. 1543-50, 2002.	
		Y. JOON MO, J. BELL, H. YING, M. TIRADO, D. THOMAS, A. H. FORSTER, R. W. HAIGIS, P. D. SWANSON, R. B. WALLACE, B. MARTINSONS, AND M. KRIHAK, "An integrated, stacked microlaboratory for biological agent detection with DNA and immunoassays," <i>Biosensors & Bioelectronics</i> , vol. 17, pp. 605-18, 2002.	
		M. J. HELLER, "An active microelectronics device for multiplex DNA analysis," <i>IEEE Engineering in Medicine & Biology Magazine</i> , vol. 15, pp. 100-4, 1996.	
		D. D. NOLTE AND K. M. KWOLEK, "Diffraction from a Short-Cavity Fabry-Perot: Applications to Photorefractive Quantum Wells," <i>Opt. Commun.</i> , vol. 115, pp. 606-616, 1995.	
		R.-H. YAN, R. J. SIMES, AND L. A. COLDREN, "Analysis and design of surface-normal Fabry-Perot electrooptic modulators," <i>IEEE Quant. Electron.</i> , vol. 25, pp. 2272-2280, 1989.	
		J. F. HEFFERNAN, M. H. MOLONEY, J. HEGARTY, J. S. ROBERTS, AND M. WHITEHEAD, "All optical high contrast absorptive modulation in an asymmetric Fabry-Perot etalon," <i>Appl. Phys. Lett.</i> , vol. 58, pp. 2877-2879, 1991.	

Examiner Signature	/Lore Ramillano/	Date Considered	01/30/2009
--------------------	------------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 608. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

*1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 U.S.C. 188. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

How best assistance in completing the form call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /L.R./

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Complete if Known

Application Number	10/726,772
Filing Date	December 3, 2003
First Named Inventor	Nolte
Art Unit	1797
Examiner Name	Ramillano
Attorney Docket Number	12258-0021

Sheet 5

of

9

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		A. LARSSON AND J. MASERJAN, "Optically addressed asymmetric Fabry-Perot modulator," <i>Appl. Phys. Lett.</i> , vol. 59, pp. 3099-3101, 1991.	
		K. M. KWOLEK, M. R. MELLOCH, AND D. D. NOLTE, "Dynamic holography in a reflection/transmission photorefractive quantum-well asymmetric Fabry-Perot," <i>Appl. Phys. Lett.</i> , vol. 65, pp. 385-387, 1994.	
		D. D. NOLTE, "Dynamic Holographic Phase Gratings in Multiple Quantum Well Asymmetric Reflection Fabry-Perot Modulators," <i>Opt. Lett.</i> , vol. 19, pp. 819-821, 1994.	
		KWOLEK, K.M. ET AL., "Photorefractive Asymmetric Fabry-Perot Quantum Wells: Transverse-filed Geometry," <i>Appl. Phys. Lett.</i> , vol. 67, pp. 736-738, 1995.	
		B. A. GRZYBOWSKI, R. HAAG, N. BOWDEN, AND G. M. WHITESIDES, "Generation of micrometer-sized patterns for microanalytical applications using a laser direct-write method and microcontact printing," <i>Anal. Chem.</i> , vol. 70, pp. 4645-4652, 1998.	
		T. CASS AND F. S. LIGLER, "Immobilized Biomolecules in Analysis: A Practical Approach Series vol. 98," Oxford: Oxford, 1998.; Chapter 2: Avidin-biotin immobilization systems, pp. 15-34	
		R. GUERSEN, I. LAHIRI, M. R. MELLOCH, J. M. WOODALL AND D. D. NOLTE, Transient Enhanced Intermixing of Arsenic-Rich Nonstoichiometric AlAs/GaAs Quantum Wells, <i>Phys. Rev. B</i> 60, 10926-10934 (1999)	
		D. CROUSE, D. D. NOLTE, J. C. P. CHANG, AND M. R. MELLOCH, "Optical absorption by Ag precipitates in AlGaAs," <i>J. Appl. Phys.</i> , vol. 81, pp. 7981-7987, 1997.	
		G. A. SEFLER, E. OH, R. S. RANA, I. MIOTKOWSKI, A. K. RAMDAS, AND D. D. NOLTE, "Faraday Photorefractive Effect in a Diluted Magnetic Semiconductor," <i>Opt. Lett.</i> , vol. 17, pp. 1420-1422, 1992.	
		J. M. MCKENNA, D. D. NOLTE, W. WALUKIEWICZ, AND P. BECLA, "Persistent holographic absorption gratings in AlSb:Se," <i>Appl. Phys. Lett.</i> , vol. 68, pp. 735-737, 1996.	
		R. S. RANA, E. OH, K. CHUA, A. K. RAMDAS, AND D. D. NOLTE, "Voigt photorefractive two-wave mixing in CdMnTe," <i>J. Lumin.</i> , vol. 60&61, pp. 56-59, 1994.	
		L. PENG, P. YU, D. D. NOLTE, AND M. R. MELLOCH, "High-speed adaptive interferometer for optical coherence-domain reflectometry through turbid media," <i>Opt. Lett.</i> 28, 396-398 (2003).	
		R. M. BRUBAKER, Y. DING, D. D. NOLTE, M. R. MELLOCH, AND A. M. WEINER, "Bandwidth-Limited Diffraction of Femtosecond Pulses from Photorefractive Quantum Wells," <i>IEEE J. Quant. Electron.</i> , vol. 33, pp. 2150-2158, 1997.	
		Y.-DING, D. D. NOLTE, M. R. MELLOCH, AND A. M. WEINER, "Real-time edge enhancement of femtosecond time-domain images by use of photorefractive quantum wells," <i>Opt. Lett.</i> , vol. 22, pp. 1101-1103, 1997.	

Examiner Signature	/Lore Ramillano/	Date Considered	01/30/2009
--------------------	------------------	-----------------	------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 608. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if an English language Translation is attached. This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing this form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /L.R./

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

Complete if Known

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 6

of 9

Application Number	10/726,772
Filing Date	December 3, 2003
First Named Inventor	Nolte
Art Unit	1797
Examiner Name	Ramillano
Attorney Docket Number	12258-0021

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		Y. DING, D. D. NOLTE, M. R. MELLOCH, AND A. M. WEINER, "Time-domain image processing using dynamic holography," <i>IEEE J. Sel. Top. Quant. Elect.</i> , vol. 4, pp. 332-341, 1998.	
		M. DINU, D. D. NOLTE, AND M. R. MELLOCH, "Electroabsorption spectroscopy of effective-mass AlGaAs/GaAs Fibonacci superlattices," <i>Phys. Rev. B</i> , vol. 56, pp. 1987-1995, 1997.	
		M. DINU, K. NAKAGAWA, M. R. MELLOCH, A. M. WEINER, AND D. D. NOLTE, "Broadband Low-Dispersion Diffraction of Femtosecond Pulses from Photorefractive Quantum Wells," <i>J. Opt. Soc. Am. B</i> , vol. 17, pp. 1313-1319, 2000.	
		Y. DING, D. D. NOLTE, Z. ZHENG, A. KANAN, A. M. WEINER, AND G. A. BROST, "Bandwidth Study of Volume Holography in Photorefractive InP:Fe at 1.5 microns for Frequency Domain Femtosecond Pulse Processing," <i>J. Opt. Soc. B</i> , vol. 15, pp. 2763-68, 1998.	
		Y. DING, I. LAHIRI, D. D. NOLTE, G. J. DUNNING, AND D. M. PEPPER, "Electric Field Correlation of Femtosecond Pulses Using a Photo-Electromotive Force Detector," <i>J. Opt. Soc. Am. B</i> , vol. 15, pp. 2013-17, 1998.	
		R. JONES, N. P. BARRY, S. C. W. HYDE, P. M. W. FRENCH, K. M. KWOLEK, D. D. NOLTE, AND M. R. MELLOCH, "Direct-to-Video holographic readout in quantum wells for 3-D imaging through turbid media," <i>Opt. Lett.</i> , vol. 23, pp. 103-105, 1998.	
		R. JONES, M. TZIRAKI, P. M. W. FRENCH, K. M. KWOLEK, D. D. NOLTE, AND M. R. MELLOCH, "Direct-to-video holographic 3-D imaging using photorefractive multiple quantum well devices," <i>Optics Express</i> , vol. 2, pp. 439-448, 1998.	
		M. TZIRAKI, R. JONES, P. M. W. FRENCH, M. R. MELLOCH, AND D. D. NOLTE, "Photorefractive Holography for Imaging through turbid media using low coherence light," <i>Appl. Phys. B</i> , vol. 70, pp. 151-154, 1999.	
		M. TZIRAKI, R. JONES, P. FRENCH, D. NOLTE, AND M. MELLOCH, "Short-coherence photorefractive holography in multiple-quantum-well devices using light-emitting diodes," <i>Appl. Phys. Lett.</i> , vol. 75, pp. 363-5, 1999.	
		I. LAHIRI, D. D. NOLTE, M. R. MELLOCH, AND M. B. KLEIN, "Oscillatory mode coupling and electrically strobed gratings in photorefractive quantum-well diodes," <i>Optics Lett.</i> , vol. 23, pp. 49-51, 1998.	
		I. LAHIRI, L. J. PYRAK-NOLTE, D. D. NOLTE, AND M. R. MELLOCH, "Transient Dynamics During Two-Wave Mixing in Photorefractive Quantum Well Diodes using Moving Gratings," <i>Opt. Express</i> , vol. 2, pp. 432-438, 1998.	
		C.-C. WANG, R. A. LINKE, D. D. NOLTE, M. R. MELLOCH, AND S. TRIVEDI, "Enhanced detection bandwidth for optical doppler frequency measurements using moving space charge field effects in GaAs multiple quantum wells," <i>Appl. Phys. Lett.</i> , vol. 70, pp. 2034-2036, 1997.	
		C. C. WANG, R. A. LINKE, D. D. NOLTE, M. R. MELLOCH, AND S. TRIVEDI, "Signal strength enhancement and bandwidth tuning in moving space charge field photodetectors using alternating bias field," <i>Appl. Phys. Lett.</i> , vol. 72, pp. 100-102, 1998.	

Examiner
Signature

/Lore Ramillano/

Date
Considered

01/30/2009

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional); 2 Applicant is to place a check mark here if English language Translation is attached.
This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-756-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /L.R./

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

Complete if Known

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet 7

of 9

Application Number	10/726,772
Filing Date	December 3, 2003
First Named Inventor	Nolte
Art Unit	1797
Examiner Name	Ramillano
Attorney Docket Number	12258-0021

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		D. M. PEPPER, G. J. DUNNING, M. P. CHIAO, T. R. O'MEARA, P. V. MITCHELL, I. LAHIRI, AND D. D. NOLTE, "Characterization of the photo-EMF response for laser-based ultrasonic sensing under simulated industrial conditions," <i>Rev. Prog. Quant. Nondestruct. Eval.</i> , vol. 17, pp. 627-634, 1998.	
		D. D. NOLTE, <i>Mesoscopic Pointlike Defects in Semiconductors: Deep-level Energies</i> , Phys. Rev. B 58, 7994-8001 (1998).	
		M. DINU, I. MIOTKOWSKI AND D. D. NOLTE, <i>Magnetic Quenching of Time-Reversed Light in Photorefractive Diluted Magnetic Semiconductors</i> , Phys. Rev. B 58, 10435 (1998).	
		S. BALASUBRAMANIAN, S. W. MANSOUR, M. R. MELLOCH AND D. D. NOLTE, <i>Vacancy diffusion Kinetics in arsenic-rich nonstoichiometric AlAs/GaAs heterostructures</i> , Phys. Rev. B 63, 033305-1 - 033305-3 (2000).	
		T. JENSEN, L. KELLY, A. LAZARIDES, AND G. C. SCHATZ, "Electrodynamics of noble metal nanoparticles and nanoparticle clusters," <i>Journal of Cluster Science</i> , vol. 10, pp. 295-317, 1999.	
		H. KUWATA, H. TAMARU, K. ESUMI, AND K. MIYANO, "Resonant light scattering from metal nanoparticles: Practical analysis beyond Rayleigh approximation," <i>Applied Physics Letters</i> , vol. 83, pp. 4623-4627, 2003.	
		M. J. JORY, P. S. CANN, J. R. SAMBLES, AND E. A. PERKINS, "Surface-plasmon-enhanced light scattering from microscopic spheres," <i>Applied Physics Letters</i> , vol. 83, pp. 3006-3008, 2003.	
		K. L. KELLY, E. CORONADO, L. L. ZHAO, AND G. C. SCHATZ, "The optical properties of metal nanoparticles: The influence of size, shape, and dielectric environment," <i>Journal of Physical Chemistry B</i> , vol. 107, pp. 668-677, 2003.	
		P. CHAKRABORTY, "Metal nanoclusters in glasses as non-linear photonic materials," <i>Journal of Materials Science</i> , vol. 33, pp. 2235-2249, 1998.	
		S. J. OLDENBURG, S. L. WESTCOTT, R. D. AVERITT, AND N. J. HALAS, "Surface enhanced Raman scattering in the near infrared using metal nanoshell substrates," <i>Journal of Chemical Physics</i> , vol. 111, pp. 4729-4735, 1999.	
		P. MULVANEY, "Surface plasmon spectroscopy of nanosized metal particles," <i>Langmuir</i> , vol. 12, pp. 788-800, 1996.	
		H. F. GHAEMI, T. THIO, D. E. GRUPP, T. W. EBBESEN, AND H. J. LEZEC, "Surface plasmons enhance optical transmission through subwavelength holes," <i>Physical Review B</i> , vol. 58, pp. 6779-6782, 1998.	
		M. MINUNNI AND M. MASCINI, "Detection of Pesticide in Drinking-Water Using Real-Time Biospecific Interaction Analysis (Bia)," <i>Analytical Letters</i> , vol. 26, pp. 1441-1460, 1993.	
		C. MOUVET, R. D. HARRIS, C. MACIAG, B. J. LUFF, J. S. WILKINSON, J. PIEHLER, A. BRECHT, G. GAUGLITZ, R. ABUKNESHA, AND G. ISMAIL, "Determination of simazine in water samples by waveguide surface plasmon resonance," <i>Analytica Chimica Acta</i> , vol. 338, pp. 109-117, 1997.	

Examiner
Signature

/Lore Ramillano/

Date

Considered

01/30/2009

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /L.R./

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Complete if Known

Application Number	10/726,772
Filing Date	December 3, 2003
First Named Inventor	Nolte
Art Unit	1797
Examiner Name	Ramillano
Attorney Docket Number	12258-0021

Sheet 8

of 9

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		A. RASOOLY, "Surface plasmon resonance analysis of staphylococcal enterotoxin B in food," <i>Journal of Food Protection</i> , vol. 64, pp. 37-43, 2001.	
		G. SAKAI, K. OGATA, T. UDA, N. MIURA, AND N. YAMAZOE, "A surface plasmon resonance-based immunosensor for highly sensitive detection of morphine." <i>Sensors and Actuators B-Chemical</i> , vol. 49, pp. 5-12, 1998.	
		G. SAKAI, S. NAKATA, T. UDA, N. MIURA, AND N. YAMAZOE, "Highly selective and sensitive SPR immunosensor for detection of methamphetamine." <i>Electrochimica Acta</i> , vol. 44, pp. 3849-3854, 1999.	
		E. KRETSCHMANN AND H. RAETHER, "Radiative Decay of Non Radiative Surface Plasmons Excited by Light," <i>Zeitschrift Fur Naturforschung Part a-Astrofysik Physik Und Physikalische Chemie</i> , vol. A 23, pp. 2135-2136, 1968.	
		A. OTTO, "Excitation of Nonradiative Surface Plasma Waves in Silver by Method of Frustrated Total Reflection," <i>Zeitschrift Fur Physik</i> , vol. 216, pp. 398-410, 1968.	
		J. HOMOLA, S. S. YEE, AND G. GAUGLITZ, "Surface plasmon resonance sensors: review," <i>Sensors and Actuators B-Chemical</i> , vol. 54, pp. 3-15, 1999.	
		M. MALMQVIST, "BIACORE: an affinity biosensor system for characterization of biomolecular interactions," <i>Biochemical Society Transactions</i> , vol. 27, 1999.	
		M. FIVASH, E. M. TOWLER, AND R. J. FISHER, "BIAcore for macromolecular interaction," <i>Current Opinion in Biotechnology</i> , vol. 9, pp. 97-101, 1998.	
		L. D. RODEN AND D. G. MYZKA, "Global analysis of a macromolecular interaction measured on BIAcore," <i>Biochemical and Biophysical Research Communications</i> , vol. 225, pp. 1073-1077, 1996.	
		G. WALTER, K. BUSSOW, A. LUEKING, AND J. GLOKLER, "High-throughput protein arrays: prospects for molecular diagnostics," <i>Trends in Molecular Medicine</i> , vol. 8, pp. 250-253, 2002.	
		J. A. COY, D. D. NOLTE, G. J. DUNNING, D. M. PEPPER, B. POUET, G. D. BACHER, AND M. B. KLEIN, "Asymmetric Interdigitated MSM Contacts for Improved Adaptive Photo-EMF Detectors," <i>J. Opt. Soc. Am. B</i> , vol. 17, pp. 697-704, 1999.	
		J. COY, F. STEDT, I. LAHIRI, M. MELLOCH, AND D. NOLTE, "Exciton electroabsorption moments and sum rules," <i>Opt. Commun.</i> , vol. 176, pp. 17-29, 2000.	
		R. S. RANA, E. OH, K. CHUA, A. K. RAMDAS, AND D. D. NOLTE, "Magneto-photorefractive effects in a diluted magnetic semiconductor," <i>Phys. Rev. B</i> , vol. 49, pp. 7941-7951, 1994.	
		D. D. NOLTE, I. LAHIRI, J. MCKENNA, F. R. STELDT, J. C. P. CHANG, M. R. MELLOCH, AND J. M. WOODALL, "Wannier excitons in a Coulomb Cage," presented at 23rd Int. Conf. Phys. Semicond., Vancouver, Canada, 1994.	

Examiner
Signature

/Lore Ramillano/

Date
Considered

01/30/2009

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /L.R./

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(Use as many sheets as necessary)

Complete if Known

Application Number	10/726,772
Filing Date	December 3, 2003
First Named Inventor	Nolte
Art Unit	1797
Examiner Name	Ramillano
Attorney Docket Number	12258-0021

Sheet 9

of 9

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
		D. D. NOLTE, J. A. COY, G. J. DUNNING, D. M. PEPPER, M. P. CHIAO, G. D. BACHER, AND M. B. KLEIN, "Enhanced responsivity of non-steady-state photoinduced electromotive force sensors using asymmetric interdigitated contacts," <i>Opt. Lett.</i> , vol. 24, pp. 342-344, 1999.	
		D. M. PEPPER, G. J. DUNNING, D. D. NOLTE, J. COY, M. B. KLEIN, G. D. BACHER, AND B. POUET, "Enhanced Responsivity of Photo-Induced-emf Laser Ultrasound Sensors Using Asymmetric Interdigitated Contacts," in <i>Review of Progress in Quantitative Nondestructive Evaluation</i> , vol. 19, D. O. Thompson and D. E. Chimenti, Eds. New York: American Institute of Physics Press, 2000, pp. 2013-2020.	
		B. CUNNINGHAM, P. LI, AND J. PEPPER, "Colorimetric resonant reflection as a direct biochemical assay technique," <i>Sensors and Actuators B</i> , vol. 81, pp. 316-328, 2002.	
		PLOCINIK, R. M.; SIMPSON, G. J., Polarization characterization in surface second harmonic generation by nonlinear optical null ellipsometry. <i>Analytica Chimica Acta</i> 2003, 496, (1-2), 133-142.	
		MUSUNDI ET AL., "Approaching Real-Time Molecular Diagnostics: Single-Pair Fluorescence Resonance Energy Transfer (spFRET) Detection for the Analysis of Low Abundant Point Mutations in K-ras Oncogenes," <i>J Am Chem Soc.</i> 2003 Jun 11;125(23):6937-45.	
		T.W. EBBESEN, H. J. LEZEC, H. F. GHAEMI, T. THIO, AND P. A. WOLFF, "Extraordinary optical transmission through sub-wavelength hole arrays," <i>Nature</i> , vol. 391, pp. 667-669, 1998.	
		V. KOUBOVA, E. BRYNDA, L. KARASOVA, J. SKVOR, J. HOMOLA, J. DOSTALEK, P. TOBISKA, AND J. ROSICKY, "Detection of foodborne pathogens using surface plasmon resonance biosensors," <i>Sensors and Actuators B-Chemical</i> , vol. 74, pp. 100-105, 2001.	
		P. B. LUPPA, L. J. SOKOLL, AND D. W. CHAN, "Immunosensors - principles and applications to clinical chemistry," <i>Clinica Chimica Acta</i> , vol. 314, pp. 1-26, 2001.	
		C. L. TUCKER, J. F. GERA, AND P. UETZ, "Towards an understanding of complex protein networks," <i>Trends In Cell Biology</i> , vol. 11, pp. 102-106, 2001.	
		S. P. BALK, Y.-J. KO, AND G. J. BUBLEY, "Biology of Prostate-specific antigen," <i>J. Clin. Onc.</i> , vol. 21, pp. 383-391, 2003.	
		WANG, M.C., PAPSIDERO, L.D., KURIYAMA, M., VALENZUELA, G.P. AND CHU, T.M. 1981. Prostate antigen: A new potential marker for prostatic cancer. <i>The Prostate</i> 2: 89-96.	
		LOVGREN J, VALTONEN-ANDRE C, MARSAL K, ET AL: MEASUREMENT OF PROSTATE-SPECIFIC ANTIGEN AND HUMAN GLANDULAR KALLIKREIN 2 IN DIFFERENT BODY FLUIDS. <i>J. ANDROL.</i> 20:348-355, 1999.	
		J. HOMOLA, "Present and future of surface plasmon resonance biosensors," <i>Analytical And Bioanalytical Chemistry</i> , vol. 377, pp. 528-539, 2003.	

Examiner
Signature

/Lore Ramillano/

Date

Considered

01/30/2009

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional) 2 Applicant is to place a check mark here if English language Translation is attached.
 This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /L.R./